

Safety data sheet
according to 1907/2006/EC, Article 31, including amending
Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

* **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

- **Trade name:** ULTRALINE
- **UFI:** X4W2-A0D7-N00E-YDF6

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

- **Application of the substance / the mixture** Fungicide

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

JT Agro Europe sp. z o.o.
Gate A, Aleja Grunwaldzka
472 80-309 Gdańsk, Poland
info@jtcrop.com

- **Further information obtainable from:** product safety department

· **1.4 Emergency telephone number:**

Poison center of the Charité Berlin: +49 30 19240
E-Mail: giftnotruf@charite.de
National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week)
Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

- **Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Eye Irrit. 2	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.

· **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS07



GHS09

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 1)

- **Signal word** Warning
- **Hazard-determining components of labelling:**
N,N-dimethyldecane-1-amide
- **Hazard statements**
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 IF exposed or concerned: Get medical advice/attention.
P391 Collect spillage.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**
SP 1: Do not contaminate water with the product or its container (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads).
EUH066 Repeated exposure may cause skin dryness or cracking.
EUH 208: Contains 2-[2-(1-Chlorocyclopropyl)-2-hydroxy-3-phenylpropyl]-2,4-dihydro-1,2,4-triazole-3-thione.
May produce an allergic reaction.
EUH 401: To avoid risks to human health and the environment, comply with the instructions for use.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
178928-70-6	Prothioconazole (ISO) ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1)	25%
14433-76-2	N,N-dimethyldecane-1-amide ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412 ATE: LD50 oral: 500 mg/kg	≥10-<25%
	2-[2-(1-Chlorocyclopropyl)-2-hydroxy-3-phenylpropyl]-2,4-dihydro-1,2,4-triazole-3-thione ⚠ Skin Sens. 1, H317	≥1-≤2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation:**

Call a doctor immediately.

Take affected persons into fresh air and keep quiet.

· **After skin contact:**

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Rinse out mouth and then drink plenty of water.

· **Information for doctor:** No antidote, symptomatic treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx)

Hydrogen chloride (HCl)

Sulphur dioxide (SO₂)

Carbon monoxide (CO)

Hydrogen cyanide (HCN)

· 5.3 Advice for firefighters

· **Protective equipment:** Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - *Requirements to be met by storerooms and receptacles:* No special requirements.
 - *Information about storage in one common storage facility:* Not required
 - *Further information about storage conditions:* Keep container tightly sealed.
 - *Storage class (TRGS):* 10
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
 - **Appropriate engineering controls** No further data; see section 7.
 - **Individual protection measures, such as personal protective equipment**
 - **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
 - **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
 - **Hand protection**



Protective gloves

- **Material of gloves**
Material nitrile
Breakthrough time > 480 min
Glove thickness > 0.4 mm
Protection index level 6
Permeation according to guideline EN 374
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending
Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 4)

· *Eye/face protection*

Tightly sealed goggles

· *Body protection:*

Wear standard coveralls and a category 3 type 6 suit. If there is a significant risk of exposure, consider a suit with a higher protection factor.

* SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· **General Information**

· <i>Physical state</i>	Liquid
· <i>Colour:</i>	Beige
· <i>Odour:</i>	Aromatic
· <i>Odour threshold:</i>	Not determined
· <i>Melting point/freezing point:</i>	Undetermined
· <i>Boiling point or initial boiling point and boiling range</i>	Undetermined
· <i>Flammability</i>	Not applicable
· <i>Lower and upper explosion limit</i>	
· <i>Lower:</i>	Not determined
· <i>Upper:</i>	Not determined
· <i>Flash point:</i>	>100 °C
· <i>Decomposition temperature:</i>	Not determined
· <i>pH at 20 °C</i>	5-6
· <i>Viscosity:</i>	
· <i>Kinematic viscosity</i>	Not determined
· <i>Dynamic:</i>	Not determined
· <i>Solubility</i>	
· <i>water:</i>	Fully miscible.
· <i>Partition coefficient n-octanol/water (log value)</i>	Not determined
· <i>Vapour pressure:</i>	Not determined
· <i>Density and/or relative density</i>	
· <i>Density at 20 °C:</i>	1.02 g/cm ³
· <i>Relative density</i>	Not determined
· Density (@15°C)	Not determined
· <i>Vapour density</i>	Not determined

· 9.2 Other information

· **Appearance:**

· *Form:* Fluid

· **Important information on protection of health and environment, and on safety.**

· <i>Ignition temperature:</i>	Product is not selfigniting.
· <i>Explosive properties:</i>	Product does not present an explosion hazard.
· <i>Solvent content:</i>	
· <i>VOC (EC)</i>	0.0 g/l
· <i>Solids content:</i>	100.0 %
· Change in condition	
· <i>Evaporation rate</i>	Not determined

(Contd. on page 6)

— IE —

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 5)

Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- **Acute toxicity** Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Oral	LD50	500-2,500 mg/kg (rat)
Dermal	LD50	>4,000 mg/kg (rat)
Inhalative	CL50 4h	5.36 mg/l (rat)

14433-76-2 N,N-dimethyldecane-1-amide

Oral	LD50	500 mg/kg (ATE)
------	------	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 6)

- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· **Endocrine disrupting properties**

None of the ingredients is listed.

- **Other information** No further relevant information available.

* SECTION 12: Ecological information

12.1 Toxicity

· **Aquatic toxicity:**

LC50 (96h)	4.02 mg/l (Oncorhynchus mykiss)
EC50 (48h)	2.9 mg/l (Daphnia magna)
IC50 (72h)	12.7 mg/l (algae)

178928-70-6 Prothioconazole (ISO)

EC10 (72h)	0.01427 mg/ltr. (Skeletonema costatum)
ErC50 (72h)	0.03278 mg/l (Skeletonema costatum)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

· **LogP(ow)**

178928-70-6	Prothioconazole (ISO)	3,82
14433-76-2	N,N-dimethyldecane-1-amide	2,46

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable
 - **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects** No further relevant information available.
- **Additional ecological information:**
 - **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

02 01 08*	agrochemical waste containing hazardous substances
-----------	--

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31, including amending
Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 7)

HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA		UN3082
· 14.2 UN proper shipping name · ADR · IMDG · IATA		3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prothioconazole (ISO)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prothioconazole (ISO)), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Prothioconazole (ISO))
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA 		9 Miscellaneous dangerous substances and articles. 9
· 14.4 Packing group · ADR, IMDG, IATA		III
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR): · Special marking (IATA):		Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category		Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
· 14.7 Maritime transport in bulk according to IMO instruments		Not applicable
· Transport/Additional information: · ADR · Limited quantities (LQ)		 5L

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 8)

· <i>Excepted quantities (EQ)</i>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <i>Transport category</i>	3
· <i>Tunnel restriction code</i>	(-)
· <i>IMDG</i>	
· <i>Limited quantities (LQ)</i>	5L
· <i>Excepted quantities (EQ)</i>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE (ISO)), 9, III

* SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: (Substances not listed)
None of the ingredients is listed.

· **Directive 2012/18/EU**

- *Named dangerous substances - ANNEX I* None of the ingredients is listed.
- *Seveso category* E1 Hazardous to the Aquatic Environment
- *Qualifying quantity (tonnes) for the application of lower-tier requirements* 100 t
- *Qualifying quantity (tonnes) for the application of upper-tier requirements* 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **REGULATION (EU) 2019/1148**

· <i>Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))</i>

None of the ingredients is listed.

· <i>Annex II - REPORTABLE EXPLOSIVES PRECURSORS</i>
None of the ingredients is listed.

· <i>Regulation (EC) No 273/2004 on drug precursors</i>
None of the ingredients is listed.

· <i>Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors</i>
None of the ingredients is listed.

· **National regulations:**

- *VOC (EU)* 0.00 %

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

* SECTION 16: Other information

· **Disclaimer**

This safety data sheet contains only safety relevant information. The information is based on the state of our knowledge at the time of revision, however, it does not constitute a guarantee of product properties, product information or product specifications and does not establish a contractual legal relationship. This document is only valid in its unchanged form. In the event of changes by third parties, the exhibitor accepts no responsibility for form and content or for any damages or claims arising from such changes. The information is not transferable to other products. If the product named in this safety data sheet is mixed, blended or processed

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31, including amending Regulation (EU) 2020/878

Printing date 01.04.2026

Version number 1.4 (replaces version 1.3)

Revision: 29.03.2026

Trade name: ULTRALINE

(Contd. of page 9)

with other materials or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material produced in this way, unless expressly stated otherwise. The data sheet does not release the user from the obligation to ensure that he acts in accordance with all regulations in connection with his activity.

· **Relevant phrases**

H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

· **Contact:**

Crophthetics Ltd.
 info@jtagro-crophthetics.com
 Tel +44 1623 272102

· **Version number of previous version: 1.3**

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 ATE: Acute toxicity estimate values
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 Skin Sens. 1: Skin sensitisation – Category 1
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

— IE —